

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

1/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	ROUNDUP QUIKPRO® SC TOTAL HERBICIDE
Product code (UVP)	80197926
SDS Number	102000025082
EPA Registration No.	432-1532

Relevant identified uses of the substance or mixture and uses advised against

Use	Herbicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer Environmental Science A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400 Cary, NC 27513 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Inhalation): Category 4
Skin irritation: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

2/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

Hazard statements

Harmful if inhaled.
Causes skin irritation.

Precautionary statements

Avoid breathing mist/ spray.
Use only outdoors or in a well-ventilated area.
Wear protective gloves.
Wash thoroughly after handling.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF ON SKIN: Wash with plenty of water/ soap.
Specific treatment (see supplemental first aid instructions on this label).
If skin irritation occurs: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.

Hazards Not Otherwise Classified (HNOC)

No health hazards not otherwise classified.
No physical hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Indaziflam	950782-86-2	0.089
Diquat dibromide	85-00-7	0.89
Isopropylamine salt of glyphosate	38641-94-0	20.46
Poly(oxy-1,2-ethanediyl),.alpha.-phosphono-.omega.-butoxy, isopropylamine salt	431040-31-2	1.5

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

3/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO₂), Dry chemical

Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Specific hazards from the substance or mixture which can increase the fire

Flash point >93.3 °C / 199.94 °F

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity No data available

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

4/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
------------	---------	--------------------	--------	-------

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

5/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

Indaziflam	950782-86-2	0.56 mg/m ³ (TWA)		OES BCS*
Diquat dibromide (Total dust.)	85-00-7	0.5 mg/m ³ (TWA PEL)	09 2006	US CA OEL
Diquat dibromide	85-00-7	0.5 mg/m ³ (TWA)	06 2008	TN OEL
Diquat dibromide	85-00-7	0.5 mg/m ³ (REL)	2005	NIOSH
Diquat dibromide (Respirable fraction.)	85-00-7	0.1 mg/m ³ (TWA)	03 2014	ACGIH
Diquat dibromide (Inhalable fraction.)	85-00-7	0.5 mg/m ³ (TWA)	03 2014	ACGIH

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)

Eye protection

Safety glasses with side-shields

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	Liquid
Colour	white to pink
Odour	slight, fruity
Odour Threshold	No data available
pH	4.0 - 6.0 (100 %) (23 °C)

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

6/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

Melting point/range	No data available
Boiling Point	No data available
Flash point	> 93.3 °C / 199.94 °F
Flammability	No data available
Auto-ignition temperature	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	1.10 g/cm ³ (20 °C)
Water solubility	soluble
Partition coefficient: n-octanol/water	Indaziflam: log Pow: 3.7 (20 °C) (pH 7) Diquat dibromide: log Pow: -4.6 Glyphosate: log Pow: -3.2
Viscosity, dynamic	300 - 800 cps (25 °C)
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

7/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

Conditions to avoid	Extremes of temperature and direct sunlight. freezing
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Skin Absorption, Eye contact
Immediate Effects	
Eye	May cause temporary eye irritation.
Skin	Causes skin irritation. May be harmful in contact with skin.
Ingestion	May be harmful if swallowed.
Inhalation	May be harmful if inhaled.
Information on toxicological effects	
Acute oral toxicity	LD50 (Rat) > 5,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.04 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. highest concentration tested
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	Moderate skin irritation. (Rabbit)
Serious eye damage/eye irritation	Mild eye irritation. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Indaziflam: May cause damage to organs in nervous system following oral route.
Diquat dibromide: May cause respiratory irritation.
Glyphosate: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Indaziflam caused neurobehavioral effects and/or neuropathological changes in subchronic studies in rats and dogs. Indaziflam: May cause damage to organs (Nervous system) through prolonged or repeated exposure.
Diquat dibromide caused specific target organ toxicity in experimental animal studies in the following organ(s): Eyes, Kidney. Diquat dibromide caused Cataract in animal studies.
Glyphosate did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

8/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

Indaziflam was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Diquat dibromide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Glyphosate was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Indaziflam was not carcinogenic in lifetime feeding studies in rats and mice.
Diquat dibromide was not carcinogenic in lifetime feeding studies in rats and mice.
Glyphosate was not carcinogenic in lifetime feeding studies in rats and mice.
Important comment to IARC Listing:., Our expert opinion is that classification as a carcinogen is not warranted.

ACGIH

Diquat dibromide 85-00-7 Group A4

NTP

None.

IARC

Isopropylamine salt of glyphosate 38641-94-0 Overall evaluation: 2A

Assessment toxicity to reproduction

Indaziflam was not a primary reproductive toxicant in a two-generation study in rats.
Diquat dibromide did not cause reproductive toxicity in a two-generation study in rats.
Glyphosate did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Indaziflam did not cause developmental toxicity in rats and rabbits.
Diquat dibromide caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Diquat dibromide are related to maternal toxicity.
Glyphosate did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.572 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient indaziflam.
LC50 (Lepomis macrochirus (Bluegill sunfish)) 13.9 ppm
The value mentioned relates to the active ingredient diquat dibromide.
LC50 (Oncorhynchus mykiss (rainbow trout)) 14.8 ppm
The value mentioned relates to the active ingredient diquat dibromide.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) > 9.88 mg/l

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

9/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

invertebrates	Exposure time: 48 h The value mentioned relates to the active ingredient indaziflam. EC50 (Daphnia (water flea)) 0.77 - 1.19 ppm The value mentioned relates to the active ingredient diquat dibromide.
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 0.134 mg/l Growth rate; Exposure time: 96 h The value mentioned relates to the active ingredient indaziflam.
Biodegradability	Indaziflam: Not rapidly biodegradable Diquat dibromide: Not rapidly biodegradable Glyphosate: Not rapidly biodegradable
Koc	Indaziflam: Koc: 496 Diquat dibromide: Koc: 2184750 Glyphosate: Koc: 6920
Bioaccumulation	Indaziflam: Bioconcentration factor (BCF) 66 Does not bioaccumulate. Diquat dibromide: Bioconcentration factor (BCF) 1 Does not bioaccumulate. Glyphosate: Does not bioaccumulate.
Mobility in soil	Indaziflam: Moderately mobile in soils Diquat dibromide: Immobile in soil Glyphosate: Immobile in soil
Results of PBT and vPvB assessment	
PBT and vPvB assessment	Indaziflam: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Diquat dibromide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Glyphosate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Drift or runoff from treated areas may adversely affect non-target plants. Do not apply when weather conditions favor runoff or drift. Apply this product as specified on the label.

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

10/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations. Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (INDAZIFLAM, DIQUAT DIBROMIDE SOLUTION)
IATA	
UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (INDAZIFLAM, DIQUAT DIBROMIDE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1532

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

11/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

US Federal Regulations

TSCA list

Water 7732-18-5
Poly(oxy-1,2-ethanediyl),.alpha.-
phosphono-.omega.-butoxy,
isopropylamine salt 431040-31-2

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

Yes

Diquat dibromide 85-00-7

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed or absorbed through skin.
Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49

SAFETY DATA SHEET



ROUNDUP QUIKPRO® SC TOTAL HERBICIDE

Version 4.0 / USA
102000025082

12/12
Revision Date: 05/11/2022
Print Date: 06/03/2022

ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 05/11/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.