

MATERIAL SAFETY DATA SHEET (MSDS)

SPILL GUARD

SECTION I

EMERGENCY TELEPHONE #

Trade Name: SPILL GUARD 1-800 424-9300

Chemical Name: NA

Manufacturer's Name and phone #: Frigid Fluid Company 1-708 836-1215

Address: 11631 W. Grand Ave. Chicago, Il 60164

SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	% by Wt.	Exposure Limits (PPM)			
			OSHA		ACGIH	
			TWA	STEL	TWA	STEL

Contains no chemicals regulated by Federal or state laws.

SECTION III - HAZARDS IDENTIFICATION

Emergency Overview: May be harmful if swallowed.

Potential Health Effects:

Inhalation: No adverse effects expected at normal temperatures.

Eye Contact: May cause slight irritation.

Skin Contact: No adverse effects expected.

Ingestion: May cause some discomfort or pain to the stomach with possible nausea, diarrhea or vomiting.

Chronic: Does not contain any NTP, IARC, or OSHA listed carcinogens.

SECTION IV - FIRST AID MEASURES

Inhalation: Not applicable at normal temperatures.

Eye Contact: Flush with water for 15 minutes. Call a physician immediately.

Skin Contact: Wash with soap and water after removing contaminated clothing.

Ingestion: Call a physician IMMEDIATELY! Do not induce vomiting unless so instructed by the physician.

SECTION V - FIRE FIGHTING MEASURES

Flammable Properties:

Flash Point: NA
Flammable Limits: NA
Autoignition Temp: NA
Method: NA

Hazardous Combustion Products: NO_x

Extinguishing Media: NA

Fire Fighting Instructions: Wear self-contained breathing apparatus and full protective equipment for all indoor and significant outdoor fires.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Small Spill: Flush to sewer or wipe up and discard with normal trash.

Large Spill: Flush to sewer with plenty of water.

SECTION VII - HANDLING AND STORAGE

Handling: Use in a well-ventilated area. Wash after handling.

Storage: Store in cool, well-ventilated areas between 50 and 100°F.

SECTION VIII - EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: General exhaust recommended.

Respiratory Protection: Not required.

Skin Protection: Use latex gloves.

Eye Protection: Use chemical splash goggles.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Range:	>200°F	Solubility in water:	100%
Vapor Pressure:	NE	Specific Gravity:	1.11
Melting Point:	NA	% Volatile by volume:	80
Vapor Density:	<1	Appearance:	clear liquid, slight ammoniacal odor

SECTION X - STABILITY AND REACTIVITY

Chemical Stability: (conditions to avoid) None

Incompatibility: Strong acids, alkalies.

Hazardous Decomposition Products: NH₃, NO_x

Hazardous Polymerization: Will not occur.

Toxicological Information: No data on product.

Ecological Information: Prevent run-off from reaching natural waterways.

Disposal Considerations: See section VI

Transport Information: Not regulated by DOT

Regulatory Information: EPCRA (SARA Title III), Sec. 313 listed materials: None

Other Information: NE= Not established
 NA= Not applicable
 NFPA rating: Health 2, Fire 2, Reactivity 0 (4= extreme, 0= insignificant)
 (s)= skin absorption contributes significantly to the overall exposure.

ARBORCHEM

SPILL-GUARD
SPILL ABSORBANT

FOR USE ON WATER BASED SPILLS ONLY

The contents
of this container will soak up approximately
55 gallons of water based liquid

NET WT.
2½ lbs.

DIRECTIONS FOR USE:

Sprinkle SPILL - GUARD flakes around the edge of the spill working toward the center. After about a minute the spill will turn to a gel.

For spills of non-hazardous water based materials the gel can be flushed down a drain. The gel is water soluble and dilution in sufficient quantities of water will thin the gel to a water-like consistency.

For spills of water based liquids containing pesticides or hazardous materials (toxic, flammable, corrosive, etc.) gel must be disposed of in conformance with the Resource Conservation & Recovery Act (RCRA) and all other applicable Federal, state, and local laws and regulations. For guidance contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

The gel can be picked up with a shovel. Immediately after picking up spills with SPILL -GUARD clean the surface and the shovel with a recommended cleaning material.

Manufactured for:
ARBORCHEM PRODUCTS CO.
943 Nixon Drive
Mechanicsburg, PA 17055

SPECIMEN LABEL

ARBORCHEM

SPILL-GUARD

SPILL ABSORBANT



- SPILL-GUARD — is a non-toxic, naturally derived material which will absorb 200 times its weight of a water based liquid.
- SPILL-GUARD — eliminates the mess and inconvenience of wet rags, dripping mops, sand, vermiculite or attaclay.
- SPILL-GUARD — is a low cost "insurance policy" which can prevent problems associated with pesticide spill containment and control.
- SPILL-GUARD — absorbed pesticide can be put back into the spray tank and sprayed as directed.
- SPILL-GUARD — will satisfy the requirements of many state Pesticide Codes which require an absorbent material on pesticide service vehicles.
- SPILL-GUARD — is packaged in convenient 2½ lb. plastic jugs, four per case. One 2½ lb. container will absorb 55 gallon of a water based spill!

Distributed By:

ARBORCHEM PRODUCTS CO.
943 Nixon Drive
Mechanicsburg, PA 17055
(717) 766-6661