Safety Data Sheet



DuPont[™] Assure[®] II Herbicide

Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont[™] Assure[®] II Herbicide

Tradename/Synonym : DPX-79376

Assure Pro Assure Plus Secure B10054988

Quizalofop P-ethyl: Ethyl(R)-2-[4-(6-chloroquinoxalin-2-yl

oxy)- phenoxy]propionate

Product Use : Herbicide

Restrictions on use :

Do not use product for anything outside of the above specified uses

Manufacturer/Supplier : DuPont

4417 Lancaster Pike

Wilmington, DE 19805, USA

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000) Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Acute toxicity (Inhalation)

Skin irritation

Serious eye damage/eye irritation

Reproductive toxicity

Category 1

Category 1

Category 1B

Category 3

single exposure

Specific target organ toxicity - Category 2



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

repeated exposure

Aspiration hazard Category 1

Label content

Pictogram :



Signal word : Danger

Hazardous warnings : May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye damage.

Harmful if inhaled.

May cause respiratory irritation.
May cause drowsiness or dizziness.
May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure. (Liver)



Version 2.0

Revision Date 06/05/2015

Ref. 130000023960

Hazardous prevention

measures

: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear eye protection/ face protection.

Wear protective gloves.

Use personal protective equipment as required.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention.

Immediately call a POISON CENTER/doctor.

Do NOT induce vomiting.

If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

No applicable data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Quizalofop p-ethyl	100646-51-3	10.3 %
Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified	64742-94-5	78.19 %
Solvent napritia (petroleum), neavy arom., Refosite - unspecified	04742-94-3	70.19 %



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

N-Methyl-2-pyrrolidone	872-50-4	5 - 10 %
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified (< 0.1% benzene)	64742-95-6	1 - 5 %
Other Ingredients		<=5.51 %

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

For medical emergencies involving this product, call toll free 1-800-441-3637.

See Label for Additional Precautions and Directions for Use.

Inhalation : Move to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison

control center or doctor for treatment advice.

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion : Call a poison control center or doctor for treatment advice. DO NOT induce

vomiting unless directed to do so by a physician or poison control center. Do

not give any liquid to the person. Do not give anything by mouth to an

unconscious person.

Most important symptoms/effects, acute

symptoms/effects, acute and delayed

: No applicable data available.



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

Protection of first-aiders

: No applicable data available.

Notes to physician

: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet, (contamination risk)

Specific hazards : No applicable data available.

Special protective equipment

for firefighters

: Wear full protective clothing and self-contained breathing apparatus.

Further information : Evacuate personnel and keep upwind of fire.

(on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing

apparatus. Use personal protective equipment.

Environmental precautions : Prevent material from entering sewers, waterways, or low areas.

Spill Cleanup : Dike spill.

Sweep up and shovel into suitable containers for disposal.

If spill area is on ground near valuable plants or trees, remove top 2 inches of

soil after initial cleanup.

Dispose of in an approved container.

Accidental Release Measures : Never return spills in original containers for re-use. Dispose of in accordance

with local regulations.



Version 2.0

Revision Date 06/05/2015

Ref. 130000023960

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove

clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon

as possible, wash thoroughly and change into clean clothing.

Handling (Physical Aspects) : Combustible

Keep away from heat and sources of ignition.

Dust explosion class : No applicable data available.

Storage : Store in original container. Do not contaminate water, other pesticides,

fertilizer, food or feed in storage. Store in a cool, dry place. Keep out of the

reach of children.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Use only with adequate ventilation. Keep container tightly closed. When

handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for

agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Personal protective equipment

Skin and body protection : Applicators and other handlers must wear:

Long sleeved shirt and long pants

Chemical resistant gloves, such as barrier laminate or Viton

Shoes plus socks Protective eyewear

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has

been treated, such as plants, soil, or water, is:

Coveralls

Chemical resistant gloves, such as barrier laminate or Viton



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

Shoes plus socks Protective eyewear

Protective measures : Discard clothing and other absorbent materials that have been drenched or

heavily contaminated with this product. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and

wash PPE separately from other laundry.

Exposure Guidelines
Exposure Limit Values

Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified

Permissible (OSHA) 100 ppm 400 mg/m3 8 hr. TWA

exposure limit:

TLV (ACGIH) 200 mg/m3 TWA Non-aerosol. as total hydrocarbon

vapor

Remarks P: Application restricted to conditions in

which there are negligible aerosol

exposures.

AEL * (DUPONT) 100 ppm 8 & 12 hr. TWA

N-Methyl-2-pyrrolidone

AEL * (DUPONT) 5 ppm 8 & 12 hr. TWA, Skin

Quizalofop p-ethyl

AEL * (DUPONT) 1 mg/m3 12 hr. TWA Total dust.

AEL * (DUPONT) 0.5 mg/m3 12 hr. TWA Respirable dust.

AEL * (DUPONT) 2 mg/m3 8 hr. TWA Total dust.

AEL * (DUPONT) 2 mg/m3 8 hr. TWA Total dust.

AEL * (DUPONT) 1 mg/m3 8 hr. TWA Respirable dust.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified (< 0.1% benzene)

AEL * (DUPONT) 50 ppm 8 & 12 hr. TWA

Biological Exposure Indices

N-Methyl-2-pyrrolidone BEI

BEI (ACGIH) 100 mg/l 5-Hydroxy-N-methyl-2-pyrrolidone/Urine Sampling time: End of shift.

Camping time. End of smit.



Version 2.0

Revision Date 06/05/2015

Ref. 130000023960

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Form : liquid
Color : dark amber

Odor : aromatic, hydrocarbon-like

Odor threshold : No applicable data available.

pH : 5-7

(1% solution in water)

Melting point/range : No applicable data available.

Boiling point/boiling range : No applicable data available.

Flash point : 98.9 °C

closed cup

Method: Setaflash closed cup - SCC

Evaporation rate : No applicable data available.

Flammability (solid, gas) : No applicable data available.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Specific gravity (Relative

density)

: 1.02

Water solubility : emulsifiable

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

Solubility(ies) : No applicable data available.

Partition coefficient: n-

octanol/water

: No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : No applicable data available.

Oxidizing Substance : The product is not oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No applicable data available.

Chemical stability : Stable at normal temperatures and storage conditions.

Possibility of hazardous

reactions

Heating can release vapours which can be ignited. Vapours may form

explosive mixture with air. Polymerization will not occur.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : None reasonably foreseeable.

Hazardous decomposition

products

No applicable data available.

SECTION 11. TOXICOLOGICAL INFORMATION

DuPont[™] Assure[®] II Herbicide

Inhalation 4 h LC50 : 2.6 - 4.4 mg/l , Rat

Dermal LD50 : > 2,000 mg/kg , Rabbit

Oral LD50 : 5,900 mg/kg , Rat

Skin irritation : Skin irritation, Rabbit

Eye irritation : Risk of serious damage to eyes., Rabbit

Sensitisation : Did not cause sensitisation on laboratory animals., Guinea pig



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

Further information : Information given is based on data on the components and the

toxicology of similar products.

Quizalofop p-ethyl

Repeated dose toxicity : Oral - feed

Mouse - 90 d Liver effects

Carcinogenicity : Animal testing did not show any carcinogenic effects.

Not classifiable as a human carcinogen.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

Teratogenicity : Animal testing showed no developmental toxicity.

Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified

Repeated dose toxicity : Oral

Rat

No toxicologically significant effects were found., Information given is

based on data obtained from similar substances.

Dermal Rabbit

10.0.0

No toxicologically significant effects were found., Information given is

based on data obtained from similar substances.

Inhalation

Rat

_

No toxicologically significant effects were found., Information given is

based on data obtained from similar substances.

Carcinogenicity : Not classifiable as a human carcinogen.

Overall weight of evidence indicates that the substance is not

carcinogenic.

Information given is based on data obtained from similar substances.

Mutagenicity : Animal testing did not show any mutagenic effects.



Version 2.0

Revision Date 06/05/2015

Ref. 130000023960

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Information given is based on data obtained from similar substances.

Reproductive toxicity : No toxicity to reproduction

No effects on or via lactation

Animal testing showed no reproductive toxicity.

Information given is based on data obtained from similar substances.

Teratogenicity : Animal testing showed no developmental toxicity.

Information given is based on data obtained from similar substances.

N-Methyl-2-pyrrolidone

Repeated dose toxicity

Oral

Rat

- Method: OECD Test Guideline 408

Reduced body weight gain

Inhalation Rat

_

Respiratory irritation

Dermal Rabbit

- Method: OECD Test Guideline 410

No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.

Overall weight of evidence indicates that the substance is not

carcinogenic.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Animal testing did not show any mutagenic effects.

Reproductive toxicity : Presumed human reproductive toxicant

Animal testing showed effects on reproduction at levels equal to or

above those causing parental toxicity.

Reduced fertility

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Reduced embryo-foetal viability



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

Foetal malformations

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified (< 0.1% benzene)

Repeated dose toxicity : Skin contact

Rat

-

NOAEL: 3,750 mg/kg

No toxicologically significant effects were found., Information given is

based on data obtained from similar substances.

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Information given is based on data obtained from similar substances.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Information given is based on data obtained from similar substances.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

No effects on or via lactation

Information given is based on data obtained from similar substances.

Teratogenicity : Animal testing showed no developmental toxicity.

Information given is based on data obtained from similar substances.

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Quizalofop p-ethyl

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 0.72 mg/l



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 0.021 mg/l

48 h EC50 : Daphnia magna (Water flea) 51.9 mg/l

21 d : NOEC Daphnia magna (Water flea) 0.787 mg/l

Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified

: no data available

21 d : NOEC Daphnia magna (Water flea) 0.48 mg/l

N-Methyl-2-pyrrolidone

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 500 mg/l

72 h ErC50 : Desmodesmus subspicatus (green algae) 600.5 mg/l

72 h NOEC : Desmodesmus subspicatus (green algae) 125 mg/l

21 d : NOEC Daphnia magna (Water flea) 12.5 mg/l OECD Test Guideline

211

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified (< 0.1% benzene)

96 h LC50 : Pimephales promelas (fathead minnow) 8.2 mg/l

Information given is based on data obtained from similar substances.

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 3.1 mg/l OECD Test

Guideline 201

Information given is based on data obtained from similar substances.

72 h NOEC : Pseudokirchneriella subcapitata (green algae) 0.5 mg/l OECD Test

Guideline 201

Information given is based on data obtained from similar substances.

48 h EC50 : Daphnia magna (Water flea) 4.5 mg/l OECD Test Guideline 202

Information given is based on data obtained from similar substances.

21 d : NOEC Daphnia magna (Water flea) 2.6 mg/l OECD Test Guideline

211

Information given is based on data obtained from similar substances.

Environmental Fate

Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

Biodegradability : 58.6 % OECD Test Guideline 301

Not readily biodegradable.

Information given is based on data obtained from similar substances.

N-Methyl-2-pyrrolidone

Biodegradability : 73 % OECD Test Guideline 301C

Readily biodegradable, according to appropriate OECD test.

Bioaccumulation : Accumulation in aquatic organisms is unlikely.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified (< 0.1% benzene)

Biodegradability : Biodegradable OECD Test Guideline 301

Information given is based on data obtained from similar substances.

Additional ecological information : Do not apply directly to water, or to areas where surface water is

present, or to intertidal areas below the mean high water mark. Do not

contaminate water when cleaning equipment or disposing of

equipment washwaters or rinsate.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods -

Product

: Do not contaminate water, food or feed by disposal. Wastes resulting from the

use of this product must be disposed of on site or at an approved waste

disposal facility.

Waste disposal methods -

Container

: Container Refilling and Disposal:

Refer to the product label for instructions.

Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day

or night.

Contaminated packaging : No applicable data available.

SECTION 14. TRANSPORT INFORMATION

IATA C UN number : 3334



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

> Proper shipping name : Aviation regulated liquid, n.o.s. (Quizalofop p-ethyl)

Class : 9 : 111 Packing group Labelling No. : 9MI

UN number **IMDG** : 3082

> Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

> > LIQUID, N.O.S. (Quizalofop p-ethyl)

Class : 9 Packing group : 111 Labelling No. : 9

Marine pollutant : yes (Quizalofop p-ethyl)

Not regulated by DOT/49 CFR unless shipped in bulk package or by water.

SECTION 15. REGULATORY INFORMATION

Other regulations

: This Safety Data Sheet is for a pesticide product registered by the US Environmental Protection Agency (USEPA) and is therefore also subject to certain labeling requirements under US pesticide law (FIFRA). These requirements differ from the classification criteria and hazard information required by OSHA for safety data sheets, and for workplace labels of nonpesticide chemicals. The following is the mandatory hazard information required by USEPA on the pesticide label:

Danger

Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mist. This product is toxic to fish. This product is toxic to: Aquatic

invertebrates

SARA 313 Regulated Chemical(s)

: N-Methyl-2-pyrrolidone

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified, N-Methyl-

2-pyrrolidone



Version 2.0

Revision Date 06/05/2015 Ref. 130000023960

Title III hazard : Acute Health Hazard: Yes classification : Chronic Health Hazard: Yes

Fire: No

Reactivity/Physical hazard: No

Pressure: No

EPA Reg. No. : 352-541

In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

SECTION 16. OTHER INFORMATION

NFPA
Health : 2
Flammability : 1
Reactivity/Physical hazard : 0

[™] Trademark of E.I. du Pont de Nemours and Company.

® Registered trademark of E.I. du Pont de Nemours and Company

Revision Date : 06/05/2015

Contact person : DuPont Crop Protection, Wilmington, DE, 19898, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.

Safety Data Sheet DuPont[™] Assure[®] II Herbicide Version 2.0 Revision Date 06/05/2015 Ref. 130000023960